



PO Box 707 ♦ Downingtown, Pennsylvania 19335
610-518-2519 (office) ♦ 610-518-2517 (fax)

DIETHYLENE GLYCOL MONO BUTYL ETHER (DB)

SALES SPECIFICATIONS:

<u>PROPERTY</u>	<u>TEST METHOD</u>	<u>UNIT</u>	<u>VALUE</u>
Water	ASTM D4672	% wt	0.05 max
Acidity	ASTM D1613	% wt	0.01 max
Color (Pt/Co)	ASTM E-202; D-1209		10 max
Purity	GC	% wt	99 min
Density @ 20C	ASTM D4052	Kg/l	0.952 – 0.955
Initial Boiling Point (IBP)	ASTM D1078	C	227 min
Dry Point	ASTM D 1078	C	235 max

January 24, 2002