



PO Box 707 ♦ Downingtown, Pennsylvania 19335
610-518-2519 (office) ♦ 610-518-2517 (fax)

PROPYLENE GLYCOL MONO METHYL ETHER (PM)
--

SALES SPECIFICATIONS:

<u>PROPERTY</u>	<u>TEST METHOD</u>	<u>UNIT</u>	<u>VALUE</u>
Water	ASTM E203	% wt	0.10 max
Acidity	ASTM D1613	% wt	0.01 max
Color (Pt/Co)	ASTM E-202; D-1209		10 max
Purity	GC	% wt	99.5 min
2-Methoxy-1-propanol	ASTM D4773	% wt	0.5 max
Density @ 20C	ASTM D4052	Kg/l	0.920 – 0.923
Initial Boiling Point (IBP)	ASTM D1078	C	117 min
Dry Point	ASTM D 1078	C	125 max

January 24, 2002